



3M™ Speedglas™ Welding Helmet G5-03 Pro

Product Description



- Attachment system for additional protective accessories.
- TAP function suitable for grinding and cutting.
- Task light as an accessory.
- Compatible with selected 3M safety helmets.

Applications

This product helps protect the wearer's eyes and face from sparks, spatter, harmful ultraviolet radiation (UV) and infrared radiation (IR) resulting from certain arc gas welding processes. The Speedglas welding helmet G5-03 Pro is designed for:

- Most welding processes, such as: MMA (Stick), MIG/MAG, and TIG
- Cutting
- Grinding

Approvals/Standards

- ANSI / ISEA Z87.1-2020, American National Standard for Occupational and Educational Personal Eye and Face Protection Devices
- CSA Z94.3-2020 National Standard of Canada, Eye and Face Protectors
- Manufacturer: 3M Svenska AB, Ernst Hedlunds väg 35, 785 30 Gagnef, Sweden

	= Auto darkening welding filters shall be disposed of as electrical and electronic waste
	= Auto darkening welding filters shall be disposed of as electrical and electronic waste

Limitations of Use

1. **Severe burn injuries may result** if this welding helmet is used for heavy-duty overhead welding applications where there is a potential for falling molten metal.
2. This product is not a respirator. Welding may produce high levels of welding fume or other airborne contaminants which may exceed the Occupational Exposure Limit (OEL). As a result, users and their employer must determine the expected hazards, and if needed select appropriate respiratory protection. Properly selected, used, and maintained respirators in a full respiratory protection program help protect against certain airborne contaminants by reducing airborne concentrations in the wearer's breathing zone below the OEL. Failure to use respirators or misuse of respirators **may result in overexposure to contaminants and lead to sickness or death.**
3. The 3M™ Speedglas™ ADF G5NC, G5TW, and G5VC are not suitable for laser welding or welding processes that require filters greater than Shade 12, 13, or 14, respectively. Use of this product for these applications may result in permanent eye injury and vision loss.
4. Only operate the welding helmet system at temperatures between 23°F (-5°C) and 131°F (+55°C).
5. Do not use the welding helmet system in areas where contact with an open flame is possible.
6. The welding helmet is heat resistant but can catch fire or melt in contact with open flames or very hot surfaces. Keep the helmet clean to minimize this risk.
7. These products are not formulated with natural rubber latex.
8. Do not immerse in water or spray directly with liquids.
9. Carefully check that the product is complete, undamaged and correctly assembled. Any damaged or defective parts must be replaced before each use. Check for cracks and look for light leaks. This product meets the requirements of certain industrial eyewear standards. It does not provide complete head, eye, and face protection from significant impact and penetration and are not a substitute for good safety practices and engineering controls. **Misuse may result in serious bodily injury or death.** For correct use, consult your supervisor and *User Instructions* or contact 3M Technical Service in the U.S.A. at 1-800-243-4630. In Canada, call Technical Service at 1-800-267-4414.
10. When exposed to eye and face hazards, wear additional eye and/or face protectors appropriate to the hazard. ANSI Z87.1 – Occupational and Educational Eye and Face Protection, incorporated by reference in the OSHA Eye and Face Standard 29 CFR 1910.133, requires safety spectacles or goggles to be worn in conjunction with the welding helmet if the visor can be raised from the normal position during use. **Failure to do so may result in serious bodily injury or death.**

Materials

Helmet	Polyphthalamide (PPA)
Side windows	Polycarbonate (PC)
Front frame	Polyphthalamide (PPA)
Head band	Polyamide (PA), Polypropylene (PP), Thermoplastic Elastomer (TPE), Polyethylene (PE)

Technical Properties

Specification	Value
Weight welding helmet (excl. headband and welding filter)	9.9 oz, (280g)
Weight headband	5.1 oz, (145 g)
Head sizes	6 3/8 to 8in ; 50-64cm
Operating Conditions	-5 °C (23 °F) to +55 °C (131 °F), RH ≤ 90%, non-condensing conditions
Storage Conditions	-20 °C (-4 °F) to +55 °C (131 °F), RH ≤ 90%, non-condensing conditions
Short-term storage temperature conditions, non-operating <1 month	
Welding helmet	-30 °C (-22 °F) to +60 °C (140 °F), RH ≤ 90%, non-condensing conditions

Specification	Value
Expected service life	5 years depending on conditions of use. The product may continue to be used providing all visual inspections and pre-use checks are passed

Assemblies, Accessories, and Spare Parts

3M™ Speedglas™ Complete System Assemblies	
10-0100-30TW	G5-03 Pro helmet with welding filter G5TW
10-0100-30VC	G5-03 Pro helmet with welding filter G5VC
3M™ Speedglas™ Welding Helmet Shell (without Auto-Darkening Filter)	
10-0100-00	G5-03 Pro helmet with no welding filter
3M™ Speedglas™ Welding Filters	
46-0000-30TW	G5 Tack Welding ADF
46-0000-30VC	G5 Variable Color ADF
46-0000-20	G5NC Welding ADF
46-0000-P10	G5 Passive Filter Assembly, Shade 10
06-0005-P10	Passive Lens, Shade 10
06-0005-P11	Passive Lens, Shade 11
06-0005-P12	Passive Lens, Shade 12
06-0005-P13	Passive Lens, Shade 13
3M™ Speedglas™ Replacement Parts and Accessories	
06-0200-20	Inside Protection Plate, Standard, 5 EA/Bag (G5NC)
06-0200-21	Inside Protection Plate, Anti-fog 5 EA/Bag (G5NC)
06-0200-30	Inside Protection Plate, Standard, 5 EA/Bag (G5VC and G5TW)
06-0200-40	Inside Protection Plate, Anti-fog 5 EA/Bag (G5VC and G5TW)
126000	Inner cover plate for passive filter
06-0200-51	Outside Protection Plate, Standard, 10 EA/Bag
06-0200-51-B	Outside Protection Plate, Standard, 50 EA
06-0200-52	Outside Protection Plate, Anti-Scratch, 10 EA/Bag
06-0200-52-B	Outside Protection Plate, Anti-Scratch, 50 EA
06-0200-53	Outside Protection Plate, High Temp, 10 EA/Bag
06-0200-53-B	Outside Protection Plate, High Temp, 50 EA
06-0500-56	Magnification Plate 1.5x
06-0500-57	Magnification Plate 2.0x
06-0500-58	Magnification Plate 2.5x
06-0500-59	Magnification Plate 3.0x
06-0500-65	Speedglas™ Protective Bag

06-0700-83	Full Hood, FR
10-0300-52	Helmet shell G5-03 Pro, no suspension
10-0500-03	G5 Task Light Battery Holder
10-0500-53	G5 Side Window Covers
10-5014-00	Hard Hat Adaptor G5-03 Pro for X series helmets
10-0714-00	Hard Hat Adaptor G5-03 Pro for H series helmets
44-0320-00	G5 Series Welding Filter Battery CR-2450N
44-0400-55	G5 Series Battery Holder
46-0200-54	G5 Sweatband, 3 EA/Bag
46-0400-51	G5 Welding Headgear Assembly
46-0400-52	G5 Pivot and Sliding Mechanism
46-0400-54	G5 Headgear Back Ratchet Assembly
46-0400-55	G5 Large Comfort Head Rest
46-0400-58	G5 Pivot Knobs
46-0700-00	G5-03 Pro Head Cover Holder
46-0700-63	G5 Outer Welding Visor Frame
46-0700-65	G5 Rigid Neck Cover
46-0700-66	G5 Large Fabric Neck Cover, FR
46-0700-67	G5 Leather Neck Cover, FR
46-0700-80	G5 Fabric Head Cover, FR
46-0700-81	G5 Large Fabric Head Cover, FR
46-0700-82	G5 Scrape Guard
46-0700-83	G5 Large High-Visibility Head Cover, FR
46-0700-84	G5 Leather Head Cover, FR
3M™ Speedglas™ Task Light Parts and Accessories	
10-0500-01	G5 Task Light Kit
10-0500-03	G5 Task Light PELTOR™ Battery Holder
46-0500-04	G5 Task Light Protection Plate 5 /BAG
46-0500-06	G5 Replacement Task Light
ACK081B/1	PELTOR™ Rechargeable Battery
AL2AI/SP	PELTOR™ Charging Cable

IMPORTANT NOTICE

The use of the 3M product described within this document assumes that the user has previous experience of this type of product and that it will be used by a competent professional. Before any use of this product, it is recommended to complete some trials to validate the performance of the product within its expected application.

All information and specification details contained within this document are inherent to this specific 3M product and would not be applied to other products or environment. Any action or usage of this product made in violation of this document is at the risk of the user.

Compliance to the information and specification relative to the 3M product contained within this document does not exempt the user from compliance with additional guidelines (safety rules, procedures). Compliance to operational requirements especially in respect to the environment and usage of tools with this product must be observed. The 3M group (which cannot verify or control those elements) would not be held responsible for the consequences of any violation of these rules which remain external to its decision and control.

Warranty conditions for 3M products are determined with the sales contract documents and with the mandatory and applicable clause, excluding any other warranty or compensation.



Personal Safety Division
3M Center, Building 235-2W-70
St. Paul, MN 55144-1000

3M PSD products are occupational use only.

3M Canada
P.O. Box 5757
London, Ontario
N6A 4T1

In United States of America
Technical Service 1-800-243-4630
Customer Service 1-800-328-1667
3M.com/workersafety

In Canada
Technical Service 1-800-267-4414
Customer Service 1-800-364-3577
3M.ca/Safety

© 3M 2025. All rights reserved.
3M and Secure Click are trademarks of
3M Company and its affiliates.

Used under license in Canada. All
other trademarks are property of their
respective owners.
Please recycle.